

Thoracic Outlet Syndrome References listed by Author.

1. **Abe, M., Ichinohe, K., and Nishida, J.**, Diagnosis, treatment, and complications of thoracic outlet syndrome. J Orthop Sci, 1999. 4(1): p. 66-9.
2. **Adams, J.T., et al.**, Intermittent subclavian vein obstruction without thrombosis. Surgery, 1968. 63: p. 147-165.
3. **Adson, A.W. and Coffey, J.R.**, Cervical Rib; A Method of Anterior Approach for Relief of Symptoms by Division of the Scalenus Anticus. Annals of Surgery, 1927. 85: p. 839.
4. **Akita, K., et al.**, The subclavius posticus muscle: a factor in arterial, venous or brachial plexus compression? Surg Radiol Anat, 2000. 22(2): p. 111-5.
5. **Altobelli, G.G., et al.**, Thoracic outlet syndrome: pattern of clinical success after operative decompression. J Vasc Surg, 2005. 42(1): p. 122-8.
6. **Ambrad-Chalela, E., Thomas, G.I., and Johansen, K.H.**, Recurrent neurogenic thoracic outlet syndrome. Am J Surg, 2004. 187(4): p. 505-10.
7. **Amrami, K.K. and Port, J.D.**, Imaging the brachial plexus. Hand Clin, 2005. 21(1): p. 25-37.
8. **Aquino, S.L., Duncan, G.R., and Hayman, L.A.**, Nerves of the thorax: atlas of normal and pathologic findings. Radiographics, 2001. 21(5): p. 1275-81.
9. **Atasoy, E.**, Thoracic outlet compression syndrome. Orthop Clin North Am, 1996. 27(2): p. 265-303.
10. **Atasoy, E.**, Combined surgical treatment of thoracic outlet syndrome: transaxillary first rib resection and transcervical scalenectomy. Hand Clin, 2004. 20(1): p. 71-82, vii.
11. **Atasoy, E.**, History of thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 15-6, v.
12. **Atasoy, E.**, Recurrent thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 99-105.
13. **Atasoy, E.**, Thoracic outlet syndrome: anatomy. Hand Clin, 2004. 20(1): p. 7-14, v.
14. **Axelrod, D.A., et al.**, Outcomes after surgery for thoracic outlet syndrome. J Vasc Surg, 2001. 33(6): p. 1220-5.
15. **Balci, A.E., et al.**, Surgical treatment of thoracic outlet syndrome: effect and results of surgery. Ann Thorac Surg, 2003. 75(4): p. 1091-6; discussion 1096.

16. **Bernstein, C.N., et al.**, A prospective comparison study of MRI versus small bowel follow-through in recurrent Crohn's disease. Am J Gastroenterol, 2005. 100(11): p. 2493-502.
17. **Beyer, J.A. and Wright, I.S.**, The Hyperabduction Syndrome: With Special Reference to Its Relationship to Raynaud's Syndrome. Circulation, 1951. 4: p. 161-172.
18. **Bhattacharya, V., et al.**, Outcome following surgery for thoracic outlet syndrome. Eur J Vasc Endovasc Surg, 2003. 26(2): p. 170-5.
19. **Bilbey, J.H., et al.**, Thoracic outlet syndrome: evaluation with CT. Radiology, 1989. 171(2): p. 381-4.
20. **Binder, D.K., Smith, J.S., and Barbaro, N.M.**, Primary brachial plexus tumors: imaging, surgical, and pathological findings in 25 patients. Neurosurg Focus, 2004. 16(5): p. E11.
21. **Blair, D.N., et al.**, Normal brachial plexus: MR imaging. Radiology, 1987. 165(3): p. 763-7.
22. **Bowen, B.C., et al.**, The brachial plexus: normal anatomy, pathology, and MR imaging. Neuroimaging Clin N Am, 2004. 14(1): p. 59-85, vii-viii.
23. **Bramwell, F.**, Lesion of first dorsal nerve root. Rev Neurol Psych, 1903. 1: p. 263.
24. **Brantigan, C.O., Johnston, R.J., and Roos, D.B.**, Appendix: use of multidetector CT and three-dimensional reconstructions in thoracic outlet syndrome: a preliminary report. Hand Clin, 2004. 20(1): p. 123-6, viii.
25. **Brantigan, C.O. and Roos, D.B.**, Diagnosing thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 27-36.
26. **Brantigan, C.O. and Roos, D.B.**, Etiology of neurogenic thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 17-22.
27. **Buford, J.A., et al.**, Actions of the scalene muscles for rotation of the cervical spine in macaque and human. J Orthop Sports Phys Ther, 2002. 32(10): p. 488-96.
28. **Cakmur, R., et al.**, Dermatomal and mixed nerve somatosensory evoked potentials in the diagnosis of neurogenic thoracic outlet syndrome. Electroencephalogr Clin Neurophysiol, 1998. 108(5): p. 423-34.
29. **Campbell, J.N., Naff, N.J., and Dellon, A.L.**, Thoracic outlet syndrome. Neurosurgical perspective. Neurosurg Clin N Am, 1991. 2(1): p. 227-33.

30. **Capistrant, T.D.**, Thoracic outlet syndrome in whiplash injury. Ann Surg, 1977. 185(2): p. 175-8.
31. **Chan, V.W.**, Applying ultrasound imaging to interscalene brachial plexus block. Reg Anesth Pain Med, 2003. 28(4): p. 340-3.
32. **Chan, V.W., et al.**, Ultrasound-guided supraclavicular brachial plexus block. Anesth Analg, 2003. 97(5): p. 1514-7.
33. **Charon, J.P., et al.**, Evaluation of MR angiographic technique in the assessment of thoracic outlet syndrome. Clin Radiol, 2004. 59(7): p. 588-95.
34. **Cheng, S.W., et al.**, Neurogenic thoracic outlet decompression: rationale for sparing the first rib. Cardiovasc Surg, 1995. 3(6): p. 617-23; discussion: 624.
35. **Cheng, S.W. and Stoney, R.J.**, Supraclavicular reoperation for neurogenic thoracic outlet syndrome. J Vasc Surg, 1994. 19(4): p. 565-72.
36. **Cherington, M. and Cherington, C.**, Thoracic outlet syndrome: reimbursement patterns and patient profiles. Neurology, 1992. 42(5): p. 943-5.
37. **Cherington, M., et al.**, Surgery for thoracic outlet syndrome may be hazardous to your health. Muscle Nerve, 1986. 9(7): p. 632-4.
38. **Cherington, M., et al.**, Thoracic outlet syndromes and MRI. Brain, 1995. 118 (Pt 3): p. 819-21.
39. **Cheung, S. and Rohling, R.**, Enhancement of needle visibility in ultrasound-guided percutaneous procedures. Ultrasound Med Biol, 2004. 30(5): p. 617-24.
40. **Chiles, C., Davis, K.W., and Williams, D.W., 3rd**, Navigating the thoracic inlet. Radiographics, 1999. 19(5): p. 1161-76.
41. **Clarys, J.P., et al.**, The muscular arch of the axilla revisited: its possible role in the thoracic outlet and shoulder instability syndromes. Man Ther, 1996. 1(3): p. 133-139.
42. **Collins, J.D., Disher, A.C., and Miller, T.Q.**, The anatomy of the brachial plexus as displayed by magnetic resonance imaging: technique and application. J Natl Med Assoc, 1995. 87(7): p. 489-98.
43. **Collins, J.D., et al.**, Nerves on magnetic resonance imaging. J Natl Med Assoc, 1989. 81(2): p. 129-34.
44. **Collins, J.D., et al.**, Compromising abnormalities of the brachial plexus as displayed by magnetic resonance imaging. Clin Anat, 1995. 8(1): p. 1-16.
45. **Coote, R.H.**, Exostosis of the left transverse process of the seventh cervical

vertebra surrounded by blood vessels and nerves. Successful removal. Lancet, 1861. 1: p. 360-361.

46. **Coote, R.H.**, Pressure of the axillary vessels and nerve by exostosis from a cervical rib. Interference with the circulation of the arm. Removal of the rib and exostosis. Recovery. Medical Times and Gazette, 1861.(2): p. 108.
47. **Crosby, C.A. and Wehbe, M.A.**, Conservative treatment for thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 43-9, vi.
48. **Cuetter, A.C. and Bartoszek, D.M.**, The thoracic outlet syndrome: controversies, overdiagnosis, overtreatment, and recommendations for management. Muscle Nerve, 1989. 12(5): p. 410-9.
49. **Cuevas-Trisan, R.L. and Cruz-Jimenez, M.**, Provocative F Waves May Help in the Diagnosis of Thoracic Outlet Syndrome. American Journal of Physical Medicine and Rehabilitation, 2003. 82(9): p. 712-715.
50. **Culp, W.C., et al.**, Relative ultrasonographic echogenicity of standard, dimpled, and polymeric-coated needles. J Vasc Interv Radiol, 2000. 11(3): p. 351-8.
51. **Cummins, C.A., Messer, T.M., and Schafer, M.F.**, Infraspinatus muscle atrophy in professional baseball players. Am J Sports Med, 2004. 32(1): p. 116-20.
52. **Currarino, G.**, Cervical lung protrusions in children. Pediatr Radiol, 1998. 28(7): p. 533-8.
53. **Dale, W.A. and Lewis, M.R.**, Management of thoracic outlet syndrome. Ann Surg, 1975. 181(5): p. 575-85.
54. **Dalley, R.W.**, Lesions and nodes of the thoracic inlet. Semin Ultrasound CT MR, 1996. 17(6): p. 576-604.
55. **Davidovic, L.B., et al.**, Vascular thoracic outlet syndrome. World J Surg, 2003. 27(5): p. 545-50.
56. **Davidovic, L.B., et al.**, Subclavian artery aneurysms. Asian J Surg, 2003. 26(1): p. 7-11; discussion 12.
57. **De Andres, J. and Sala-Blanch, X.**, Ultrasound in the practice of brachial plexus anesthesia. Reg Anesth Pain Med, 2002. 27(1): p. 77-89.
58. **Degeorges, R., Reynaud, C., and Becquemin, J.P.**, Thoracic outlet syndrome surgery: long-term functional results. Ann Vasc Surg, 2004. 18(5): p. 558-65.
59. **Demondion, X., et al.**, Thoracic outlet: assessment with MR imaging in asymptomatic and symptomatic populations. Radiology, 2003. 227(2): p. 461-8.

60. **Demondion, X., et al.**, Thoracic outlet: anatomic correlation with MR imaging. AJR Am J Roentgenol, 2000. 175(2): p. 417-22.
61. **Demondion, X., et al.**, Sonographic mapping of the normal brachial plexus. AJNR Am J Neuroradiol, 2003. 24(7): p. 1303-9.
62. **Demondion, X., et al.**, Imaging assessment of thoracic outlet syndrome. Radiographics, 2006. 26(6): p. 1735-50.
63. **Demondion, X., et al.**, Ultrasonographic Assessment of Arterial Cross-sectional Area in the Thoracic Outlet on Postural Maneuvers Measured With Power Doppler Ultrasonography in Both Asymptomatic and Symptomatic Populations. J Ultrasound Med, 2006. 25(2): p. 217-24.
64. **DiFelice, G.S., et al.**, Effort thrombosis in the elite throwing athlete. Am J Sports Med, 2002. 30(5): p. 708-12.
65. **Dimeff, R.J.**, Entrapment neuropathies of the upper extremity. Curr Sports Med Rep, 2003. 2(5): p. 255-61.
66. **Donald, J.M. and Morton, B.F.**, The Scalenus Anticus Syndrome with and without Cervical Rib. Annals of Surgery, 1939. 111(5): p. 709-723.
67. **Dovgan, P.S., et al.**, Arterial embolism from anatomical variation at the thoracic outlet. Clin Anat, 1995. 8(3): p. 222-6.
68. **Durham, J.R., et al.**, Arterial injuries in the thoracic outlet syndrome. J Vasc Surg, 1995. 21(1): p. 57-69; discussion 70.
69. **Dymarkowski, S., et al.**, Three-dimensional MR angiography in the evaluation of thoracic outlet syndrome. AJR Am J Roentgenol, 1999. 173(4): p. 1005-8.
70. **Ellis, W.**, Heparin Alleviates Pain in Nerve Entrapments. American Journal of Pain Management, 2003. 13(2): p. 54-59.
71. **Ellis, W. and Cheng, S.**, Intraoperative thermographic monitoring during neurogenic thoracic outlet decompressive surgery. Vasc Endovascular Surg, 2003. 37(4): p. 253-7.
72. **Ellis, W.V.**, Pain control using high-intensity pulsed magnetic stimulation. Bioelectromagnetics, 1993. 14(6): p. 553-6.
73. **England, J.D. and Tiel, R.L.**, AAEM case report 33: costoclavicular mass syndrome. American Association of Electrodiagnostic Medicine. Muscle Nerve, 1999. 22(3): p. 412-8.
74. **Falconer, M.A. and Li, F.W.**, Resection of the first rib in costoclavicular compression of the brachial plexus. Lancet, 1962. 1: p. 59-63.

75. **Falconer, M.A. and Weddell, G.**, Costoclavicular compression of the subclavian artery and vein. Relation to the scalenus anticus syndrome. Lancet, 1943. 2: p. 539-543.
76. **Ferrante, M.A.**, Brachial plexopathies: classification, causes, and consequences. Muscle Nerve, 2004. 30(5): p. 547-68.
77. **Ferrante, M.A. and Wilbourn, A.J.**, Electrodiagnostic approach to the patient with suspected brachial plexopathy. Neurol Clin, 2002. 20(2): p. 423-50.
78. **Filler, A.G., Maravilla, K.R., and Tsuruda, J.S.**, MR neurography and muscle MR imaging for image diagnosis of disorders affecting the peripheral nerves and musculature. Neurol Clin, 2004. 22(3): p. 643-82, vi-vii.
79. **Forcada, P., et al.**, Subclavius posticus muscle: supernumerary muscle as a potential cause for thoracic outlet syndrome. Clin Anat, 2001. 14(1): p. 55-7.
80. **Garant, M., Remy, H., and Just, N.**, Aggressive fibromatosis of the neck: MR findings. AJNR Am J Neuroradiol, 1997. 18(8): p. 1429-31.
81. **Gelabert, H.A. and Machleder, H.I.**, Diagnosis and management of arterial compression at the thoracic outlet. Ann Vasc Surg, 1997. 11(4): p. 359-66.
82. **Gillard, J., et al.**, Diagnosing thoracic outlet syndrome: contribution of provocative tests, ultrasonography, electrophysiology, and helical computed tomography in 48 patients. Joint Bone Spine, 2001. 68(5): p. 416-24.
83. **Gilliatt, R.W., et al.**, Wasting of the hand associated with a cervical rib or band. J Neurol Neurosurg Psychiatry, 1970. 33(5): p. 615-24.
84. **Gilliatt, R.W., et al.**, Peripheral nerve conduction in patients with a cervical rib and band. Ann Neurol, 1978. 4(2): p. 124-9.
85. **Goslin, K.L. and Krivickas, L.S.**, Proximal neuropathies of the upper extremity. Neurol Clin, 1999. 17(3): p. 525-48, vii.
86. **Gould, A.P.**, A case of spreading obliterative arteritis. Trans Clin Soc London, 1884.(17): p. 95.
87. **Graif, M., et al.**, Sonographic evaluation of brachial plexus pathology. Eur Radiol, 2004. 14(2): p. 193-200.
88. **Hagspiel, K.D., et al.**, Diagnosis of vascular compression at the thoracic outlet using gadolinium-enhanced high-resolution ultrafast MR angiography in abduction and adduction. Cardiovasc Intervent Radiol, 2000. 23(2): p. 152-4.
89. **Halsted, W.S.**, An Experimental Study Of Circumscribed Dilation Of An Artery Immediately Distal To A Partially Occluding Band, And Its Bearing On The

- Dilation Of The Subclavian Artery Observed In Certain Cases Of Cervical Rib. Jnl of Experimental Medicine, 1916. 24: p. 271-286.
90. **Halsted, W.S.**, Congenital Arterio-Venous and Lymphatico-Venous Fistulae. Unique Clinical and Experimental Observations. Proc Natl Acad Sci of USA, 1918. 5(3): p. 76-79.
 91. **Halsted, W.S.**, Dilation of the Great Arteries Distal to Partially Occluding Bands. Proc Natl Acad Sci of USA, 1918. 4(7): p. 204-210.
 92. **Han, S., et al.**, Transaxillary approach in thoracic outlet syndrome: the importance of resection of the first-rib. Eur J Cardiothorac Surg, 2003. 24(3): p. 428-33.
 93. **Harry, W.G., Bennett, J.D., and Guha, S.C.**, Scalene muscles and the brachial plexus: anatomical variations and their clinical significance. Clin Anat, 1997. 10(4): p. 250-2.
 94. **Harvey, R.L.**, Hemiplegia and contralateral upper limb claudication--a case of dual disability from pseudoaneurysm of the brachiocephalic artery: a brief report. Am J Phys Med Rehabil, 1999. 78(1): p. 56-9.
 95. **Hempel, G.K., et al.**, 770 consecutive supraclavicular first rib resections for thoracic outlet syndrome. Ann Vasc Surg, 1996. 10(5): p. 456-63.
 96. **Herbert, R., Gerr, F., and Dropkin, J.**, Clinical evaluation and management of work-related carpal tunnel syndrome. Am J Ind Med, 2000. 37(1): p. 62-74.
 97. **Hochman, M.G. and Zilberfarb, J.L.**, Nerves in a pinch: imaging of nerve compression syndromes. Radiol Clin North Am, 2004. 42(1): p. 221-45.
 98. **Hough, A.D., Moore, A.P., and Jones, M.P.**, Measuring longitudinal nerve motion using ultrasonography. Man Ther, 2000. 5(3): p. 173-80.
 99. **Howard, M., Lee, C., and Dellon, A.L.**, Documentation of brachial plexus compression (in the thoracic inlet) utilizing provocative neurosensory and muscular testing. J Reconstr Microsurg, 2003. 19(5): p. 303-12.
 100. **Howe, F.A., et al.**, Magnetic resonance neurography. Magn Reson Med, 1992. 28(2): p. 328-38.
 101. **Huang, J.H. and Zager, E.L.**, Thoracic outlet syndrome. Neurosurgery, 2004. 55(4): p. 897-902; discussion 902-3.
 102. **Iyer, R.B., Fenstermacher, M.J., and Libshitz, H.I.**, MR imaging of the treated brachial plexus. AJR Am J Roentgenol, 1996. 167(1): p. 225-9.
 103. **Izzi, J., et al.**, Nerve injuries of the elbow, wrist, and hand in athletes. Clin Sports

Med, 2001. 20(1): p. 203-17.

104. **Jakes, C.**, Sonographers and Occupational Overuse Syndrome: Cause, Effect, and Solutions. Journal of Diagnostic Medical Sonography, 2001. 17(6): p. 312-320.
105. **Jakubietz, M.G., et al.**, Bilateral non-traumatic second rib fracture after bilateral first rib resection for TOS. Thorax, 2005. 60(3): p. 259-60.
106. **Jayson, M.I.**, The role of vascular damage and fibrosis in the pathogenesis of nerve root damage. Clin Orthop Relat Res, 1992.(279): p. 40-8.
107. **Jordan, S.E., et al.**, Selective botulinum chemodenervation of the scalene muscles for treatment of neurogenic thoracic outlet syndrome. Ann Vasc Surg, 2000. 14(4): p. 365-9.
108. **Jordan, S.E. and Machleder, H.I.**, Diagnosis of thoracic outlet syndrome using electrophysiologically guided anterior scalene blocks. Ann Vasc Surg, 1998. 12(3): p. 260-4.
109. **Juvonen, T., et al.**, Anomalies at the thoracic outlet are frequent in the general population. Am J Surg, 1995. 170(1): p. 33-7.
110. **Kai, Y., et al.**, Neurogenic thoracic outlet syndrome in whiplash injury. J Spinal Disord, 2001. 14(6): p. 487-93.
111. **Keen, W.W.**, The symptomatology, diagnosis and surgical treatment of cervical ribs. Am J Med Sci, 1907.(133): p. 173-218.
112. **Khan SN, S.G.**, Paget-Schroetter Syndrome. Phlebography, 2003. 18(1): p. 2-11.
113. **Khella, S.**, Electromyography in Shoulder Disorders. UPOJ, 2000. 13: p. 29-34.
114. **Kim, D.H., et al.**, Outcomes of surgery in 1019 brachial plexus lesions treated at Louisiana State University Health Sciences Center. J Neurosurg, 2003. 98(5): p. 1005-16.
115. **Kim, D.H., et al.**, Infraclavicular brachial plexus stretch injury. Neurosurg Focus, 2004. 16(5): p. E4.
116. **Kim, H., et al.**, Role of CT venography in the diagnosis and treatment of benign thoracic central venous obstruction. Korean J Radiol, 2003. 4(3): p. 146-52.
117. **Kline, D.G. and Hudson, A.R.**, *Thoracic Outlet Syndrome*, in *Nerve injuries: Operative Results from Major Nerve Injuries, Entrapments, and Tumors*. 1995, W.B. Saunders Company: Philadelphia. p. 473-493.

118. **Konuskan, B., et al.**, Cadaveric observation of an aberrant left subclavian artery: a possible cause of thoracic outlet syndrome. Clin Anat, 2005. 18(3): p. 215-6.
119. **Kosenak, L.M., et al.**, Cervical rib variant: report of a case. Ann Vasc Surg, 1992. 6(3): p. 292-3.
120. **Kremer, R.M. and Ahlquist, R.E.**, Thoracic Outlet Compression Syndrome. American Journal of Surgery, 1975. 175: p. 612-615.
121. **Landry, G.J., et al.**, Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients. J Vasc Surg, 2001. 33(2): p. 312-7; discussion 317-9.
122. **Law, A.A.**, Adventitious Ligaments Simulating Cervical Ribs. Ann Surg, 1920. 2: p. 497.
123. **Le Forestier, N., et al.**, [True neurological thoracic outlet syndrome]. Rev Neurol (Paris), 2000. 156(1): p. 34-40.
124. **Lee, A.D., Agarwal, S., and Sadhu, D.**, Doppler Adson's test: predictor of outcome of surgery in non-specific thoracic outlet syndrome. World J Surg, 2006. 30(3): p. 291-2.
125. **Leffert, R.D.**, Thoracic outlet syndrome and the shoulder. Clin Sports Med, 1983. 2(2): p. 439-52.
126. **Leffert, R.D.**, Thoracic outlet syndromes. Hand Clin, 1992. 8(2): p. 285-97.
127. **Leffert, R.D.**, The Conundrum of Thoracic Outlet Surgery. Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 262-270.
128. **Leffert, R.D.**, Complications of surgery for thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 91-8.
129. **Leffert, R.D. and Perlmutter, G.S.**, Thoracic outlet syndrome. Results of 282 transaxillary first rib resections. Clin Orthop Relat Res, 1999.(368): p. 66-79.
130. **Leinberry, C.F. and Wehbe, M.A.**, Brachial plexus anatomy. Hand Clin, 2004. 20(1): p. 1-5.
131. **Lindgren, K.A., Manninen, H., and Ryttonen, H.**, Thoracic outlet syndrome--a functional disturbance of the thoracic upper aperture? Muscle Nerve, 1995. 18(5): p. 526-30.
132. **Liu, J.E., et al.**, Shoulder-arm pain from cervical bands and scalene muscle anomalies. J Neurol Sci, 1995. 128(2): p. 175-80.
133. **Lodhia KR, B.B., McGillicuddy J**, Peripheral Nerve Injuries in Weight Training.

The Physician and Sportsmedicine, 2005. 33(7).

134. **Lokanathan, R., et al.**, Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis. J Vasc Surg, 2001. 33(4): p. 783-8.
135. **Longley, D.G., et al.**, Thoracic outlet syndrome: evaluation of the subclavian vessels by color duplex sonography. AJR Am J Roentgenol, 1992. 158(3): p. 623-30.
136. **Lord, J.W., Jr.**, Surgical management of shoulder girdle syndromes; new operative procedure for hyperabduction, costoclavicular, cervical rib, and scalenus anticus syndromes. AMA Arch Surg, 1953. 66(1): p. 69-83.
137. **Lord, J.W., Jr.**, Regarding "Arterial injuries in the thoracic outlet syndrome". J Vasc Surg, 1995. 22(1): p. 124-5.
138. **Lozano, P., et al.**, Venous thoracic outlet syndrome secondary to congenital pseudoarthrosis of the clavicle. Presentation in the fourth decade of life. Eur J Vasc Endovasc Surg, 2003. 25(6): p. 592-3.
139. **Lutz, B.S., Matejic, B., and Ingianni, G.**, Thoracic Outlet Syndrome: Follow-up on 33 Cases with Regard to Vascular Compression. Int J Angiol, 1998. 7(3): p. 202-5.
140. **Machleder, H.I.**, Effort thrombosis of the axillosubclavian vein: a disabling vascular disorder. Compr Ther, 1991. 17(5): p. 18-24.
141. **Machleder, H.I.**, Thoracic outlet syndromes: new concepts from a century of discovery. Cardiovasc Surg, 1994. 2(2): p. 137-45.
142. **Machleder, H.I., Moll, F., and Verity, M.A.**, The anterior scalene muscle in thoracic outlet compression syndrome. Histochemical and morphometric studies. Arch Surg, 1986. 121(10): p. 1141-4.
143. **Mackinnon, S.E., et al.**, Chronic nerve compression--an experimental model in the rat. Ann Plast Surg, 1984. 13(2): p. 112-20.
144. **Mackinnon, S.E. and Novak, C.B.**, Clinical commentary: pathogenesis of cumulative trauma disorder. J Hand Surg [Am], 1994. 19(5): p. 873-83.
145. **Mackinnon, S.E. and Novak, C.B.**, Evaluation of the patient with thoracic outlet syndrome. Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 190-200.
146. **Mackinnon, S.E. and Novak, C.B.**, Thoracic outlet syndrome. Curr Probl Surg, 2002. 39(11): p. 1070-145.
147. **Mackinnon, S.E., Patterson, G.A., and Novak, C.B.**, Thoracic outlet syndrome:

- a current overview. Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 176-82.
148. **Makhoul, R.G. and Machleder, H.I.**, Developmental anomalies at the thoracic outlet: an analysis of 200 consecutive cases. J Vasc Surg, 1992. 16(4): p. 534-42; discussion 542-5.
 149. **Maravilla, K.R. and Bowen, B.C.**, Imaging of the peripheral nervous system: evaluation of peripheral neuropathy and plexopathy. AJNR Am J Neuroradiol, 1998. 19(6): p. 1011-23.
 150. **Marhofer, P., Greher, M., and Kapral, S.**, Ultrasound guidance in regional anaesthesia. Br J Anaesth, 2005. 94(1): p. 7-17.
 151. **Marhofer, P., et al.**, Ultrasound guidance for infraclavicular brachial plexus anaesthesia in children. Anaesthesia, 2004. 59(7): p. 642-6.
 152. **Martinoli, C., et al.**, Brachial plexus sonography: a technique for assessing the root level. AJR Am J Roentgenol, 2002. 179(3): p. 699-702.
 153. **Matsen, S.L., et al.**, SIR 2003 film panel case 7: arterial thoracic outlet syndrome presenting with upper extremity emboli and posterior circulation stroke. J Vasc Interv Radiol, 2003. 14(6): p. 807-12.
 154. **Matsumura, J.S., et al.**, Helical computed tomography of the normal thoracic outlet. J Vasc Surg, 1997. 26(5): p. 776-83.
 155. **Matsumura, J.S., Yao, J.S., and Nemcek, A.A., Jr.**, Helical CT angiography of thoracic outlet syndrome. AJR Am J Roentgenol, 2001. 177(3): p. 714-5.
 156. **Matsuyama, T., Okuchi, K., and Goda, K.**, Upper plexus thoracic outlet syndrome--case report. Neurol Med Chir (Tokyo), 2002. 42(5): p. 237-41.
 157. **Mattson, R.J.**, Surgical approach to anterior scalenectomy. Hand Clin, 2004. 20(1): p. 57-60.
 158. **Maxwell-Armstrong, C.A., et al.**, Long-term results of surgical decompression of thoracic outlet compression syndrome. J R Coll Surg Edinb, 2001. 46(1): p. 35-8.
 159. **Mayo, H.**, Exostosis of the first rib with strong pulsations of the subclavian artery. Lon Med Phys Jnl, 1831.(11): p. 40.
 160. **McCarthy, M.J., et al.**, Experience of supraclavicular exploration and decompression for treatment of thoracic outlet syndrome. Ann Vasc Surg, 1999. 13(3): p. 268-74.
 161. **Merrell, G.A. and Wolfe, S.**, Adult Brachial Plexus and Thoracic Outlet Surgery. Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 271-281.

162. **Mukherji, S.K., Castillo, M., and Wagle, A.G.**, The brachial plexus. Semin Ultrasound CT MR, 1996. 17(6): p. 519-38.
163. **Mukherji, S.K., et al.**, Brachial plexus nerve block with CT guidance for regional pain management: initial results. Radiology, 2000. 216(3): p. 886-90.
164. **Mulder, D.S., Greenwood, F.A., and Brooks, C.E.**, Posttraumatic thoracic outlet syndrome. J Trauma, 1973. 13(8): p. 706-15.
165. **Murphy, J.B.**, Case of Cervical Rib with Symptoms Resembling Subclavian Aneurysm. Ann Surg, 1905. 41(1): p. 399-406.
166. **Murphy, T.**, Brachial neuritis caused by pressure of first rib. Aust Med J, 1910. 15: p. 582-587.
167. **Naffziger, H.C.**, The scalenus syndrome. Surgery, Gynecology and Obstetrics, 1937. 64: p. 19-20.
168. **Naffziger, H.C. and Grant, W.T.**, Neuritis of Brachial Plexus Mechanical in Origin: Scalenus Syndrome. Surg Gynecol and Obstet, 1938. 67: p. 722.
169. **Naidu, S.H. and Kothari, M.J.**, Thoracic outlet syndrome: does fiction outweigh facts? Current Opinions in Orthopedics, 2003. 14: p. 209-214.
170. **Natsis, K., et al.**, Variations of the course of the upper trunk of the brachial plexus and their clinical significance for the thoracic outlet syndrome: a study on 93 cadavers. Am Surg, 2006. 72(2): p. 188-92.
171. **Neal, J.M., et al.**, Brachial plexus anesthesia: essentials of our current understanding. Reg Anesth Pain Med, 2002. 27(4): p. 402-28.
172. **Neimatallah, M.A., et al.**, Subclavian MR arteriography: reduction of susceptibility artifact with short echo time and dilute gadopentetate dimeglumine. Radiology, 2000. 217(2): p. 581-6.
173. **Nguyen, H., et al.**, Anatomical Bases of Transaxillary Resection of the First Rib. Anat clin, 1984. 5: p. 221-233.
174. **Novak, C.B. and Mackinnon, S.E.**, Multilevel nerve compression and muscle imbalance in work-related neuromuscular disorders. Am J Ind Med, 2002. 41(5): p. 343-52.
175. **Ootaki, C., Hayashi, H., and Amano, M.**, Ultrasound-guided infraclavicular brachial plexus block: an alternative technique to anatomical landmark-guided approaches. Reg Anesth Pain Med, 2000. 25(6): p. 600-4.
176. **Ota, H., et al.**, Quantitative vascular measurements in arterial occlusive disease. Radiographics, 2005. 25(5): p. 1141-58.

177. **Ozcakar, L., et al.**, Quantification of the weakness and fatigue in thoracic outlet syndrome with isokinetic measurements. Br J Sports Med, 2005. 39(3): p. 178-81.
178. **Panegyres, P.K., et al.**, Thoracic outlet syndromes and magnetic resonance imaging. Brain, 1993. 116 (Pt 4): p. 823-41.
179. **Patton, G.M.**, Arterial thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 107-11, viii.
180. **Peet, R.M., et al.**, Thoracic-outlet syndrome: evaluation of a therapeutic exercise program. Mayo Clin Proc, 1956. 31(9): p. 281-7.
181. **Perlas, A. and Chan, V.W.S.**, Ultrasound-guided interscalene brachial plexus block. Techniques in Regional Anesthesia and Pain Management, 2004. 8(4): p. 143-148.
182. **Peterson, M.K., Millar, F.A., and Sheppard, D.G.**, Ultrasound-guided nerve blocks. Br J Anaesth, 2002. 88(5): p. 621-4.
183. **Plewa, M.C. and Delinger, M.**, The false-positive rate of thoracic outlet syndrome shoulder maneuvers in healthy subjects. Acad Emerg Med, 1998. 5(4): p. 337-42.
184. **Poitevin, L.A.**, Proximal compressions of the upper limb neurovascular bundle. An anatomic research study. Hand Clin, 1988. 4(4): p. 575-84.
185. **Posniak, H.V., et al.**, MR imaging of the brachial plexus. AJR Am J Roentgenol, 1993. 161(2): p. 373-9.
186. **Ranney, D.**, Thoracic outlet: an anatomical redefinition that makes clinical sense. Clin Anat, 1996. 9(1): p. 50-2.
187. **Rapoport, S., et al.**, Brachial plexus: correlation of MR imaging with CT and pathologic findings. Radiology, 1988. 167(1): p. 161-5.
188. **Rayan, G.M.**, Thoracic outlet syndrome. J Shoulder Elbow Surg, 1998. 7(4): p. 440-51.
189. **Rayan, G.M. and Jensen, C.**, Thoracic outlet syndrome: provocative examination maneuvers in a typical population. J Shoulder Elbow Surg, 1995. 4(2): p. 113-7.
190. **Redenbach, D.M. and Nelems, B.**, A comparative study of structures comprising the thoracic outlet in 250 human cadavers and 72 surgical cases of thoracic outlet syndrome. Eur J Cardiothorac Surg, 1998. 13(4): p. 353-60.
191. **Reede, D.L.**, The thoracic inlet: normal anatomy. Semin Ultrasound CT MR,

1996. 17(6): p. 509-18.
192. **Reede, D.L.**, MR imaging of the brachial plexus. Magn Reson Imaging Clin N Am, 1997. 5(4): p. 897-906.
193. **Remy-Jardin, M., et al.**, Functional anatomy of the thoracic outlet: evaluation with spiral CT. Radiology, 1997. 205(3): p. 843-51.
194. **Remy-Jardin, M., et al.**, Helical CT angiography of thoracic outlet syndrome: functional anatomy. AJR Am J Roentgenol, 2000. 174(6): p. 1667-74.
195. **Riddell, D.H. and Smith, B.M.**, Thoracic and Vascular Aspects of Thoracic Outlet Syndrome. Clinical Orthopaedics and Related Research, 1986.(Number 207): p. 31-36.
196. **Roberts, J.B.**, The surgical importance of cervical ribs to the general practitioner. JAMA, 1908. 51: p. 1126-1130.
197. **Robertson, C. and Saratsiotis, J.**, A review of compressive ulnar neuropathy at the elbow. J Manipulative Physiol Ther, 2005. 28(5): p. 345.
198. **Roeder, D.K., et al.**, First Rib Resection in the Treatment of Thoracic Outlet Syndrome: Transaxillary and Posterior Thoracoplasty Approaches. Annals of Surgery, 1972. 178(1): p. 49-52.
199. **Roos, D.**, Edgar J. Poth Lecture. Thoracic outlet syndromes: update 1987. Am J Surg, 1987. 154(6): p. 568-73.
200. **Roos, D.B.**, Experience with first rib resection for thoracic outlet syndrome. Ann Surg, 1971. 173(3): p. 429-42.
201. **Roos, D.B.**, Congenital anomalies associated with thoracic outlet syndrome. Anatomy, symptoms, diagnosis, and treatment. Am J Surg, 1976. 132(6): p. 771-8.
202. **Roos, D.B.**, The place for scalenectomy and first-rib resection in thoracic outlet syndrome. Surgery, 1982. 92(6): p. 1077-85.
203. **Roos, D.B.**, Thoracic outlet syndrome is underdiagnosed. Muscle Nerve, 1999. 22(1): p. 126-9; discussion 137-8.
204. **Rose, S.C.**, Noninvasive vascular laboratory for evaluation of peripheral arterial occlusive disease. Part III--Clinical applications: nonatherosclerotic lower extremity arterial conditions and upper extremity arterial disease. J Vasc Interv Radiol, 2001. 12(1): p. 11-8.
205. **Rusnak-Smith, S., Moffat, M., and Rosen, E.**, Anatomical variations of the scalene triangle: dissection of 10 cadavers. J Orthop Sports Phys Ther, 2001.

31(2): p. 70-80.

206. **Rydevik, B., Brown, M.D., and Lundborg, G.**, Pathoanatomy and pathophysiology of nerve root compression. Spine, 1984. 9(1): p. 7-15.
207. **Safran, M.**, Nerve Injury About the Shoulder in Athletes, Part 2. American Journal of Sports Medicine, 2004. 32(4): p. 1063-1076.
208. **Safran, M.R.**, Nerve injury about the shoulder in athletes, part 2: long thoracic nerve, spinal accessory nerve, burners/stingers, thoracic outlet syndrome. Am J Sports Med, 2004. 32(4): p. 1063-76.
209. **Sallstrom, J. and Thulesius, O.**, Non-invasive investigation of vascular compression in patients with thoracic outlet syndrome. Clin Physiol, 1982. 2(2): p. 117-25.
210. **Samarasam, I., et al.**, Surgical management of thoracic outlet syndrome: a 10-year experience. ANZ J Surg, 2004. 74(6): p. 450-4.
211. **Sanders, R.J.**, Results of the surgical treatment for thoracic outlet syndrome. Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 221-8.
212. **Sanders, R.J. and Hammond, S.L.**, Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome. J Vasc Surg, 2002. 36(1): p. 51-6.
213. **Sanders, R.J. and Hammond, S.L.**, Etiology and pathology. Hand Clin, 2004. 20(1): p. 23-6.
214. **Sanders, R.J. and Hammond, S.L.**, Supraclavicular first rib resection and total scalenectomy: technique and results. Hand Clin, 2004. 20(1): p. 61-70.
215. **Sanders, R.J. and Hammond, S.L.**, Venous thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 113-8, viii.
216. **Sanders, R.J. and Haug, C.E.**, *Thoracic Outlet Syndrome: A Common Sequella of Neck Injuries*. 1991: JB Lippincott Co.
217. **Sanders, R.J., et al.**, Scalene muscle abnormalities in traumatic thoracic outlet syndrome. Am J Surg, 1990. 159(2): p. 231-6.
218. **Sandhu, N.S. and Capan, L.M.**, Ultrasound-guided infraclavicular brachial plexus block. Br J Anaesth, 2002. 89(2): p. 254-9.
219. **Saxton, E.H., Miller, T.Q., and Collins, J.D.**, Migraine complicated by brachial plexopathy as displayed by MRI and MRA: aberrant subclavian artery and cervical ribs. J Natl Med Assoc, 1999. 91(6): p. 333-41.

220. **Schafhalter-Zoppoth, I., McCulloch, C.E., and Gray, A.T.**, Ultrasound visibility of needles used for regional nerve block: an in vitro study. Reg Anesth Pain Med, 2004. 29(5): p. 480-8.
221. **Sellke, F.W. and Kelly, T.R.**, Thoracic outlet syndrome. Am J Surg, 1988. 156(1): p. 54-7.
222. **Seror, P.**, Medial antebrachial cutaneous nerve conduction study, a new tool to demonstrate mild lower brachial plexus lesions. A report of 16 cases. Clin Neurophysiol, 2004. 115(10): p. 2316-22.
223. **Seror, P.**, Frequency of neurogenic thoracic outlet syndrome in patients with definite carpal tunnel syndrome: an electrophysiological evaluation in 100 women. Clin Neurophysiol, 2005. 116(2): p. 259-63.
224. **Shannon, B. and Klimkiewicz, J.J.**, Cervical burners in the athlete. Clin Sports Med, 2002. 21(1): p. 29-35, vi.
225. **Sharp, W.J., et al.**, Long-term follow-up and patient satisfaction after surgery for thoracic outlet syndrome. Ann Vasc Surg, 2001. 15(1): p. 32-6.
226. **Sheth, R.N. and Belzberg, A.J.**, Diagnosis and treatment of thoracic outlet syndrome. Neurosurg Clin N Am, 2001. 12(2): p. 295-309.
227. **Sheth, R.N. and Campbell, J.N.**, Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations. J Neurosurg Spine, 2005. 3(5): p. 355-63.
228. **Smedby, O., et al.**, Functional imaging of the thoracic outlet syndrome in an open MR scanner. Eur Radiol, 2000. 10(4): p. 597-600.
229. **Spence, B.C., Sites, B.D., and Beach, M.L.**, Ultrasound-guided musculocutaneous nerve block: a description of a novel technique. Reg Anesth Pain Med, 2005. 30(2): p. 198-201.
230. **Spinner, R.J. and Amadio, P.C.**, Compressive neuropathies of the upper extremity. Clin Plast Surg, 2003. 30(2): p. 155-73, vi.
231. **Stallworth, J.M. and Horne, J.B.**, Diagnosis and management of thoracic outlet syndrome. Arch Surg, 1984. 119(10): p. 1149-51.
232. **Stallworth, J.M., Quinn, G.J., and Aiken, A.F.**, Is rib resection necessary for relief of thoracic outlet syndrome? Ann Surg, 1977. 185(5): p. 581-92.
233. **Stopford, J.S.B. and Telford, E.D.**, Compression of the lower trunk of the brachial plexus by a first dorsal rib. With a note on the surgical treatment. Brit J Surg, 1919. 7(26).

234. **Sucher, B.M.**, Thoracic outlet syndrome--a myofascial variant: Part 1. Pathology and diagnosis. J Am Osteopath Assoc, 1990. 90(8): p. 686-96, 703-4.
235. **Sucher, B.M.**, Thoracic outlet syndrome--a myofascial variant: Part 2. Treatment. J Am Osteopath Assoc, 1990. 90(9): p. 810-2, 817-23.
236. **Sucher, B.M. and Heath, D.M.**, Thoracic outlet syndrome--a myofascial variant: Part 3. Structural and postural considerations. J Am Osteopath Assoc, 1993. 93(3): p. 334, 340-5.
237. **Suh, J.T., Park, B.G., and Yoo, C.I.**, Hypertrophic non-union of the first rib causing thoracic outlet syndrome: a case report. J Korean Med Sci, 2001. 16(5): p. 673-6.
238. **Sunderland, S.**, The Distribution of Sympathetic Fibres in the Brachial Plexus in Man. Brain, 1948. 71(1): p. 88-102.
239. **Sunderland, S.**, The anatomy and physiology of nerve injury. Muscle Nerve, 1990. 13(9): p. 771-84.
240. **Sunderland, S.**, Brachial plexus injuries. Clin Neurol Neurosurg, 1993. 95 Suppl: p. S1-2.
241. **Swank, R.L. and Simeone, F.A.**, Scalenus Anticus Syndrome; Types; Their Characterization, Diagnosis and Treatment. Arch Neurol and Psych, 1944. 51: p. 432.
242. **Taber, K.H., et al.**, Sectional neuroanatomy of the upper thoracic spine and chest. J Comput Assist Tomogr, 2005. 29(2): p. 281-5.
243. **Taber, K.H., et al.**, Sectional neuroanatomy of the upper limb I: brachial plexus. J Comput Assist Tomogr, 2000. 24(6): p. 983-6.
244. **Telford, E.D. and Mottershead, S.**, Pressure at the Cervico-Brachial Junction: An Operative and Anatomical Study. Jnl of Bone and Jt Surg, 1948. 30B(249-265).
245. **Telford, E.D. and Stopford, J.S.B.**, The Vascular Complications of the Cervical Rib. Br J Surg, 1931. 18(59): p. 557.
246. **Tender, G.C., et al.**, Gilliatt-Sumner hand revisited: a 25-year experience. Neurosurgery, 2004. 55(4): p. 883-90; discussion 890.
247. **Thomas, G.I.**, Thoracic outlet syndrome. Neurology, 1993. 43(6): p. 1270-1.
248. **Thomas, G.I., et al.**, The middle scalene muscle and its contribution to the thoracic outlet syndrome. Am J Surg, 1983. 145(5): p. 589-92.

249. **Tiel, R.L., Happel, L.T., Jr., and Kline, D.G.**, Nerve action potential recording method and equipment. Neurosurgery, 1996. 39(1): p. 103-8; discussion 108-9.
250. **Todd, T.W.**, The Relations of the Thoracic Operculum considered in reference to the Anatomy of Cervical Ribs of Surgical Importance. J Anat Physiol., 1911. 45(Part 3): p. 293-304.
251. **Todd, T.W.**, "Cervical Rib": Factors controlling its Presence and its Size. Its Bearing on the Morphology and Development of the Shoulder. Anat Physiol, 1912. 46 (Part 3): p. 244-288.
252. **Todd, T.W.**, The Arterial Lesion in Cases of "Cervical" Rib. J Anat Physiol., 1913. 47 (Part 2): p. 250-253.
253. **Tolson, T.D.**, "EMG" for thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 37-42, vi.
254. **Tubbs, R.S., et al.**, Additional vascular compression of the brachial plexus in a cadaver with a cervical rib: case illustration. Surg Radiol Anat, 2006. 28(1): p. 112-3.
255. **Tung, T.H. and Mackinnon, S.E.**, Brachial plexus injuries. Clin Plast Surg, 2003. 30(2): p. 269-87.
256. **Urschel, H.C., Jr. and Razzuk, M.A.**, Upper plexus thoracic outlet syndrome: optimal therapy. Ann Thorac Surg, 1997. 63(4): p. 935-9.
257. **Urschel, H.C., Jr. and Razzuk, M.A.**, Neurovascular compression in the thoracic outlet: changing management over 50 years. Ann Surg, 1998. 228(4): p. 609-17.
258. **Vaksmann, G., Noblet, D., and Dupuis, C.**, Subclavian artery aneurysm secondary to a cervical supernumerary rib in a child. Eur J Pediatr, 1987. 146(2): p. 209-10.
259. **van Es, H.W.**, MRI of the brachial plexus. Eur Radiol, 2001. 11(2): p. 325-36.
260. **Visser, K. and Hunink, M.G.**, Peripheral arterial disease: gadolinium-enhanced MR angiography versus color-guided duplex US--a meta-analysis. Radiology, 2000. 216(1): p. 67-77.
261. **Wadhvani, R., et al.**, Color Doppler and duplex sonography in 5 patients with thoracic outlet syndrome. J Ultrasound Med, 2001. 20(7): p. 795-801.
262. **Walsworth, M.K., Mills, J.T., 3rd, and Michener, L.A.**, Diagnosing suprascapular neuropathy in patients with shoulder dysfunction: a report of 5 cases. Phys Ther, 2004. 84(4): p. 359-72.
263. **Ward, J., et al.**, Bile duct strictures after hepatobiliary surgery: assessment with

- MR cholangiography. Radiology, 2004. 231(1): p. 101-8.
264. **Wehbe, M.A. and Leinberry, C.F.**, Current trends in treatment of thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 119-21.
265. **Wehbe, M.A. and Schlegel, J.M.**, Nerve gliding exercises for thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 51-5, vi.
266. **Wehbe, M.A. and Whitaker, M.L.**, Epineurectomy for thoracic outlet syndrome. Hand Clin, 2004. 20(1): p. 83-6.
267. **Wellik, G.M.**, Nerve entrapments of the wrist: early treatment preserves function. Jaapa, 2005. 18(4): p. 18-23; quiz 31-2.
268. **Wilbourn, A.J.**, Thoracic outlet syndrome surgery causing severe brachial plexopathy. Muscle Nerve, 1988. 11(1): p. 66-74.
269. **Wilbourn, A.J.**, Thoracic outlet syndrome is overdiagnosed. Muscle Nerve, 1999. 22(1): p. 130-6; discussion 136-7.
270. **Wilbourn, A.J.**, Thoracic outlet syndromes. Neurol Clin, 1999. 17(3): p. 477-97, vi.
271. **Wilbourn, A.J. and Lederman, R.J.**, Evidence for conduction delay in thoracic-outlet syndrome is challenged. N Engl J Med, 1984. 310(16): p. 1052-3.
272. **Williams, S.R., et al.**, Ultrasound guidance speeds execution and improves the quality of supraclavicular block. Anesth Analg, 2003. 97(5): p. 1518-23.
273. **Winspur, I.**, Advances in objective assessment of hand function and outcome assessment of the musician's hand. Hand Clin, 2003. 19(3): p. 483-93.
274. **Wishchuk, J.R. and Dougherty, C.R.**, Therapy after thoracic outlet release. Hand Clin, 2004. 20(1): p. 87-90, vii.
275. **Wittenberg, K.H. and Adkins, M.C.**, MR imaging of nontraumatic brachial plexopathies: frequency and spectrum of findings. Radiographics, 2000. 20(4): p. 1023-32.
276. **Wright, I.S.**, The neurovascular syndrome produced by hyperabduction of the arms: the immediate changes produced in 15 normal controls, and the effects on some persons of prolonged hyperabduction of the arms, as in sleeping, and certain occupations. Am Heart J, 1945. 29: p. 1.
277. **Yavuzer, S., Atinkaya, C., and Tokat, O.**, Clinical predictors of surgical outcome in patients with thoracic outlet syndrome operated on via transaxillary approach. Eur J Cardiothorac Surg, 2004. 25(2): p. 173-8.

278. **Young, W.F.**, The enigma of whiplash injury. Current management strategies and controversies. Postgrad Med, 2001. 109(3): p. 179-80, 183-6.